

STORIE

Mélange  
Collection

RAGNO 



R8GC Mélange Glicine Glossy 10x10cm

## Mélange

Matter, memory and colour intertwine in Mélange, a ceramic collection that reworks tradition with a contemporary soul. The collection includes the colours Bianco, Nero, Beige, Teal, Oltremare, Kaki, Bordeaux, Glicine and Acquamarina, in the 10x10 size. The surfaces combine regularity of form, glossy glaze and a vibrant graphic richness. Ideal for personal spaces, it brings chromatic intensity and visual depth to warm, distinctive interiors and atmospheres.





R8GD Mélange Acquamarina Glossy 10x10cm



R78P Pietrantica Multicolor Rt 60x120cm - R8GC Mélange Glicine Glossy 10x10cm





R7HL Contrasti Tappeto 8 20x20cm - R8FZ Mélange Bianco Glossy 10x10cm



R8GF Mélange Nero Glossy 10x10cm





R7FV Woodsense Beige Rt 20x120cm - R8G0 Mélange Beige Glossy 10x10cm



R7HP Contrasti Tappeto 10 20x20cm - R8GE Mélange Oltremare Glossy 10x10cm





R7HP Contrasti Tappeto 10 20x20cm - R8GE Mélange Oltremare Glossy 10x10cm



R8G2 Mélange Bordeaux Glossy 10x10cm





R8FZ Mélange Bianco Glossy 10x10cm - RA5F Decora Terracotta Rt 60x120cm - RA5P Decora Listello Terracotta 0x120cm





R5ZC Slate Iron Rt 75x75cm - R8GD Mélange Acquamarina Glossy 10x10cm






R8GD Mélange Acquamarina Glossy 10x10cm



Single Fired Tiles



Acquamarina

| Size    | Superficie | Code | Description                | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V  | Premium Tech. | Scatole | Mq   | Kg    | Pallet | Mq    | Kg     |
|---------|------------|------|----------------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 10x10cm | Glossy     | R8GD | MÉlange Acquamarina Glossy | MM 10    |       |                          |     |   |     |                |               |                     |      |                    | V3 |               | 54      | 0,54 | 10,80 | 80     | 43,20 | 864,00 |



Beige

| Size    | Superficie | Code | Description          | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V  | Premium Tech. | Scatole | Mq   | Kg    | Pallet | Mq    | Kg     |
|---------|------------|------|----------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 10x10cm | Glossy     | R8G0 | MÉlange Beige Glossy | MM 10    |       |                          |     |   |     |                |               |                     |      |                    | V3 |               | 54      | 0,54 | 10,86 | 80     | 43,20 | 868,52 |



Bianco


| Size    | Superficie | Code | Description           | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V  | Premium Tech. | Scatole | Mq   | Kg    | Pallet | Mq    | Kg     |
|---------|------------|------|-----------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 10x10cm | Glossy     | R8FZ | MÉlange Bianco Glossy | MM 10    |       |                          |     |   |     |                |               |                     |      |                    | V3 |               | 54      | 0,54 | 10,73 | 80     | 43,20 | 858,16 |

MéLANGE COLLECTION

MéLANGE COLLECTION



Single Fired Tiles



Bordeaux

| Size    | Superficie | Code | Description             | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V  | Premium Tech. | Scatole | Mq   | Kg    | Pallet | Mq    | Kg     |
|---------|------------|------|-------------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 10x10cm | Glossy     | R8G2 | MÉlange Bordeaux Glossy | MM 10    |       |                          |     |   |     |                |               |                     |      |                    | V3 |               | 54      | 0,54 | 10,65 | 80     | 43,20 | 852,07 |



Glicine

| Size    | Superficie | Code | Description            | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V  | Premium Tech. | Scatole | Mq   | Kg    | Pallet | Mq    | Kg     |
|---------|------------|------|------------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 10x10cm | Glossy     | R8GC | MÉlange Glicine Glossy | MM 10    |       |                          |     |   |     |                |               |                     |      |                    | V3 |               | 54      | 0,54 | 10,83 | 80     | 43,20 | 866,25 |



Kaki


| Size    | Superficie | Code | Description         | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V  | Premium Tech. | Scatole | Mq   | Kg    | Pallet | Mq    | Kg     |
|---------|------------|------|---------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 10x10cm | Glossy     | R8G1 | MÉlange Kaki Glossy | MM 10    |       |                          |     |   |     |                |               |                     |      |                    | V3 |               | 54      | 0,54 | 10,75 | 80     | 43,20 | 859,70 |

MéLANGE COLLECTION

MéLANGE COLLECTION




Single Fired Tiles




Nero

| Size    | Superficie | Code | Description         | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V  | Premium Tech. | Scatole | Mq   | Kg    | Pallet | Mq    | Kg     |
|---------|------------|------|---------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 10x10cm | Glossy     | R8GF | MÉlange Nero Glossy | MM 10    |       |                          |     |   |     |                |               |                     |      |                    | V3 |               | 54      | 0,54 | 10,68 | 80     | 43,20 | 854,09 |



Oltremare

| Size    | Superficie | Code | Description              | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V  | Premium Tech. | Scatole | Mq   | Kg    | Pallet | Mq    | Kg     |
|---------|------------|------|--------------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 10x10cm | Glossy     | R8GE | MÉlange Oltremare Glossy | MM 10    |       |                          |     |   |     |                |               |                     |      |                    | V3 |               | 54      | 0,54 | 10,76 | 80     | 43,20 | 861,07 |



Teal

| Size    | Superficie | Code | Description         | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V  | Premium Tech. | Scatole | Mq   | Kg    | Pallet | Mq    | Kg     |
|---------|------------|------|---------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 10x10cm | Glossy     | R8GA | MÉlange Teal Glossy | MM 10    |       |                          |     |   |     |                |               |                     |      |                    | V3 |               | 54      | 0,54 | 10,66 | 80     | 43,20 | 852,74 |

MéLANGE COLLECTION

MéLANGE COLLECTION



Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

|                                                                                                                                                  |                                                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| D                                                                                                                                                | G                                                                                                                                             |
| Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.                                                | Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.                |
| E                                                                                                                                                | H                                                                                                                                             |
| Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.                                         | Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private. |
| F                                                                                                                                                |                                                                                                                                               |
| Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear. |                                                                                                                                               |

Variazioni cromatiche

|                                                                                                                  |                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| V0                                                                                                               | V3                                                                                                                                                                                                           |
| Monochromatic - V0: tiles of the same shade are very uniform, in just one colour                                 | Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material              |
| V1                                                                                                               | V4                                                                                                                                                                                                           |
| Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run   | Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material |
| V2                                                                                                               |                                                                                                                                                                                                              |
| Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run |                                                                                                                                                                                                              |

Certificazioni

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| ISO 14001                                                                           | ISO 45001                                                                           | ISO 9001                                                                            | Green Building Council                                                              | EPD Italy                                                                           | Greenguard                                                                          | LEED Credits                                                                        | FDES                                                                                |
|  |  |  |  |  |  |  |  |
| Declare                                                                             | HPD                                                                                 | CAM Ubersetto                                                                       | CE 005MRZI                                                                          | CE 006MRZI                                                                          | CE 009MRZI                                                                          | UKCA 005MRZUK                                                                       | UKCA 006MRZUK                                                                       |
|  |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| UKCA 009MRZUK                                                                       | SASO                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |



© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group  
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
info@ragno.it  
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 08/06/2026

**RAGNO** 